

# BEST AVAILABLE COPY

FIG. 1

1/41




FIG. 2




FIG. 3






FIG. 4



**FIG. 5**



# CARD TABLE

PID	CWD TYPE	VERSION NO.	SLOT NO.	...
-----	----------	-------------	----------	-----

47

16 a —	500	0XF002	3	1	
16 b —	501	0XF002	4	2	
	...	...	...	...	...
16 e —	505	0X6002	1	5	
	...	...	...	...	...
16 n —	513	0XF002	1	12	
	...	...	...	...	...

FIG. 6

PORT TABLE

PID	PORT TYPE	VERSION NO.	SLOT NO.	...
-----	-----------	-------------	----------	-----

49

44a —	1500	00620	1	1	
44b —	1501	00620	1	1	
44c —	1502	00620	1	1	
44d —	1503	00620	1	1	
46a —	1504	00820			
	...	...	...	...	...
	1600	00620	1	8	
	...	...	...	...	...

FIG. 7

FIG. 8

8/41






FIG. 9




FIG. 10

Service Endpoint Table 76

	Service Endpoint #	Port PID
78	1	1500
80	2	1501
82	3	1501
84	4	1501
86	5	1502
88	6	1502
90	7	1503
92	8	1503
94	9	1503
168	10	1502
	⋮	⋮

FIG. 11a

Logical to Physical Card Table 100

	98 LID	102 Primary PID	104 Back-up PID
106	30	500	513
109	31	501	513
	⋮	⋮	⋮


FIG. 11b

Logical to Physical Port Table 101

	98 LID	102 Primary PID	104 Back-up PID
107	40	1500	1600
	⋮	⋮	⋮

FIG. 12


ATM Group Table 108



Group #	Card LID	...
1	30	
2	30	
3	30	
4	30	

FIG. 13

ATM Interface Table 114




ATM IF	ATM Group	SE	...
1	1	1	
2	1	1	
3	1	1	
4	2	2	
5	2	3	
6	2	4	
⋮	⋮	⋮	⋮
12	3	10	
⋮	⋮	⋮	⋮

170

FIG. 14

Software Load Record 128a



130	Control Shim	LID	132
134	atm-cntl.exe	30	

FIG. 15




FIG. 16a





FIG. 16b



~~15/41~~




FIG. 16d






FIG. 17





FIG. 18



[illegible]

FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24






FIG. 25




FIG. 26




FIG. 27





FIG. 27 is a diagram of a network architecture within an ATM (110) environment. A central node, LRM (436), is connected to four other nodes: SIG (440), SSCOP (439), PNNI (437), and ILM (438). The ILM (438) node is further connected to a sequence of nodes labeled 438a, ..., 438n. The entire network is enclosed within a large circle representing the ATM (110).

FIG. 28



Copyright © 2000 by International Business Machines Corporation. All rights reserved. IBM, the IBM logo, and the e-business logo are trademarks of International Business Machines Corporation. Other names may be trademarks of their respective owners.

FIG. 29




FIG.30

Group Table 108'

447                      449

	Group #	Primary Card LID	Backup Card LID	...
450	1	30	31	
451	2	30	31	
452	3	30	31	
453	4	30	31	
454	5	31	32	
455	6	31	32	
456	7	31	32	
457	8	31	32	
458	9	32	30	
459	10	32	30	
460	11	32	30	
461	12	32	30	
	⋮	⋮	⋮	⋮

Fig. 31a




Fig. 31b




Fig. 31c




Fig. 32a




Fig. 32b




Fig. 32c






FIG. 33a




FIG. 33b




FIG. 33c




FIG. 33d




Fig. 34a




FIG. 34b




FIG. 35




FIG. 36




FIG. 37




FIG. 38

Path Table 600



Path LID	UP Port LID	Time Slot	# of Time Slots	...
1666	1231	4	3	
...	...	...	...	...

602 —



FIG. 39

Service End Point Table 76'

606 608 610

604 —

SE #	Q #	FC LID	FC Slice	FC Time Slot	Path PID	...
878	1				1666	
...	...	...	...	...	...	...

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☒ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**